

No.	Adjustment item	Item	Frequency	Mode	Default	No.	Adjustment item	Item	Frequency	Mode	Default
00	ALC reference voltage	14.1M	14.1M	USB		62	SQ tight voltage (144M)	FM	145.8M	FM	
01	146M BPF center voltage (Main)	146M	145.99M	USB		63	SQ threshold voltage (144M)	FM	145.8M	FM	
02	Variable capacitor voltage	142M	142.00M	USB		64	SQ tight voltage (144M)	FM	145.8M	FM	
03	Variable capacitor voltage	144M	144.00M	USB		65	SQ threshold voltage (430M)	FM	438.2M	FM	
04	Variable capacitor voltage	148M	148.10M	USB		66	SQ threshold voltage (430M)	FM	438.2M	FM	
05	Variable capacitor voltage	152M	151.90M	USB		67	SQ threshold voltage (1200MHz)	FM	1270.2M	FM	
06	435M BPF center voltage (Main)	440M	440.00M	USB		68	Power (POCI/Power meter)	100W/20W	14.1M	USB	
07	Variable capacitor voltage	450M	449.80M	USB		69	Power (POCI/Power meter)	50W/10W	14.1M	USB	
08	Variable capacitor voltage	430M	430.00M	USB		70	Power (POCI/Power meter)	25W/5W	14.1M	USB	
09	Variable capacitor voltage	420M	420.00M	USB		71	Power (POCI/Power meter)	10W/2W	14.1M	USB	
10	146M BPF center voltage (Sub)	146M	146.00M	FM		72	Power (POCI/Power meter)	5W/1W	14.1M	USB	
11	Variable capacitor voltage	118M	118.00M	FM		73	TX gain for band	1.8M	1.83M	USB	
12	Variable capacitor voltage	132M	132.00M	FM		74	TX gain for band	3.5M	3.51M	USB	
13	Variable capacitor voltage	160M	160.00M	FM		75	TX gain for band	7M	7.01M	USB	
14	Variable capacitor voltage	174M	173.90M	FM		76	TX gain for band	10M	10.1M	USB	
15	440M BPF center voltage (TX)	435M	435.10M	USB		77	TX gain for band	14M	14.1M	USB	
16	Variable capacitor voltage	420M	420.10M	USB		78	TX gain for band	16M	16.1M	USB	
17	Variable capacitor voltage	440M	439.99M	USB		79	TX gain for band	21M	21.1M	USB	
18	Variable capacitor voltage	450M	449.90M	USB		80	TX gain for band	24M	24.9M	USB	
19	Variable capacitor voltage (HF TX)	14M	14.1M	USB		81	TX gain for band	28M	28.1M	USB	
20	10.695M IF filter window	10.695M	1.83M	USB		82	TX gain for band	52M	50.1M	USB	
21	455k IF filter window	455k	1.83M	USB		83	HF TX gain for power	50W/10W	14.1M	USB	
22	SSB IF gain	SSB start	14.2M	USB		84	HF TX gain for power	25W/5W	14.1M	USB	
23	SSB S1	SSB S1	14.2M	USB		85	HF TX gain for power	10W/2W	14.1M	USB	
24	SSB S9	SSB S9	14.2M	USB		86	HF TX gain for power	5W/1W	14.1M	USB	
25	SSB S-full scale	SSB S full	14.2M	USB		87	ALC meter start	Start	14.1M	USB	
26	FM S1	FM S1	29.2M	FM		88	ALC meter zone max	Zone max	14.1M	USB	
27	FM S-full scale	FM full	29.2M	FM		89	FM modulation deviation	Wide dev	29.1M	FM	
28	SSB IF gain	SSB start	50.2M	USB		90	FM modulation deviation	Narrow dev	29.1M	FM	
29	SSB S1	SSB S1	50.2M	USB		91	Power (POCI / Power meter)	100W/20W	145.9M	USB	
30	SSB S9	SSB S9	50.2M	USB		92	Power (POCI / Power meter)	50W/10W	145.9M	USB	
31	SSB S-full scale	SSB S full	50.2M	USB		93	Power (POCI / Power meter)	25W/5W	145.9M	USB	
32	FM S1	FM S1	50.2M	FM		94	Power (POCI / Power meter)	10W/2W	145.9M	USB	
33	FM S-full scale	FM full	50.2M	FM		95	Power (POCI / Power meter)	5W/1W	145.9M	USB	
34	SSB IF gain	SSB start	144.2M	USB		96	TX gain for band	146M	145.9M	USB	
35	SSB S1	SSB S1	144.2M	USB		97	144M TX gain for power	50W/10W	145.9M	USB	
36	SSB S9	SSB S9	144.2M	USB		98	144M TX gain for power	25W/5W	145.9M	USB	
37	SSB S-full scale	SSB S full	144.2M	USB		99	144M TX gain for power	10W/2W	145.9M	USB	
38	FM S1	FM S1	145.8M	FM		100	144M TX gain for power	5W/1W	145.9M	USB	
39	FM full scale	FM full	145.8M	FM		101	Power (POCI / Power meter)	50W/20W	438.1M	USB	
40	FM S1 (SUB)	FM S1	145.8M	FM		102	Power (POCI / Power meter)	25W/10W	438.1M	USB	
41	FM full scale (SUB)	FM full	145.8M	FM		103	Power (POCI / Power meter)	12.5W/5W	438.1M	USB	
42	AM S1	AM S1	120.2M	AM		104	Power (POCI / Power meter)	5W/1W	438.1M	USB	
43	AM S-full scale	AM full	120.2M	AM		105	TX gain for band	440M	438.1M	USB	
44	SSB IF gain	SSB start	438.2M	USB		106	440M TX gain for power	25W/10W	438.1M	USB	
45	SSB S1	SSB S1	438.2M	USB		107	440M TX gain for power	12.5W/5W	438.1M	USB	
46	SSB S9	SSB S9	438.2M	USB		108	440M TX gain for power	5W/1W	438.1M	USB	
47	SSB S-full scale	SSB S full	438.2M	USB		109	Power (POCI / Power meter)	10W	1270.1M	USB	
48	FM S1	FM S1	438.2M	FM		110	Power (POCI / Power meter)	5W	1270.1M	USB	
49	FM S-full scale	FM full	438.2M	FM		111	Power (POCI / Power meter)	2.5W	1270.1M	USB	
50	FM S1 (SUB)	FM S1	438.2M	FM		112	Power (POCI / Power meter)	1W	1270.1M	USB	
51	FM S-full scale (SUB)	FM full	438.2M	FM		113	TX gain for 1.2G band	1.2G	1240.1M	USB	
52	SSB IF gain	SSB start	1270.2M	USB		114	TX gain for band	1.2G	1270.1M	USB	
53	SSB S1	SSB S1	1270.2M	USB		115	TX gain for 1.2G band	1.2G	1299.9M	USB	
54	SSB S9	SSB S9	1270.2M	USB		116	1.2G TX gain for power	2.5W	1270.1M	USB	
55	SSB S-full scale	SSB S full	1270.2M	USB		117	1.2G TX gain for power	1W	1270.1M	USB	
56	FM S1	FM S1	1270.2M	FM		118	SWR protection	HF	14.1M	CW	
57	FM S-full scale	FM full	1270.2M	FM		119	SWR meter (VSWR : 3.0)	14M	14.1M	FM	
58	ALT voltage	Center	1270.2M	FM		120	SWR meter (VSWR : 3.0)	52M	50.1M	CW	
59	ALT voltage	Center	145.8M	FM		121	SWR protection	146M	145.9M	CW	
60	SQ threshold voltage	FM	50.2M	FM		122	SWR protection	440M	438.1M	CW	
61	SQ threshold voltage	FM	145.8M	FM		123	SWR protection	1270.1	1270.1M	CW	
						124	EEPROM write				
						125	Checksum				
						126	Display check / Activate all				